

Improving VTE Prophylaxis Rates – Slowly, Slowly


MTQIP meeting

May 8, 2019


Kristen Sihler, MD, MS, FACS

Munson Medical Center, Traverse City


It does not matter how slowly
you go as long as you do not
stop. - Confucius




VTE Prophylaxis Timing \leq 48 hrs 1/1/17 - 9/30/17




VTE Prophylaxis Timing <= 48 hrs
 Cohort 2 - Admit to Trauma
 1/1/17 - 6/30/18



VTE Prophylaxis Heparin, LMWH \leq 48 hrs Cohort 8 - Isolated Hip Fracture



DVT/Pulmonary Embolus Cohort 2 - Admit to Trauma



Progress . . .

- VTE Timing 2017

VTE Prophylaxis Timing - <= 48 Hrs
Cohort 2 (Admit to Trauma Service), Exclude DOAs, Exclude Transfers
Out. 2017

- VTE Timing partial year 2018 Through July

VTE Prophylaxis Timing - <= 48 Hrs
Cohort 2 (Admit to Trauma Service), Exclude DOAs, Exclude Transfers
Out 2018

Barriers

**VTE Prophylaxis Outcomes at 48 Hrs - Heparin, LMWH \leq 48 Hrs
Exclude DOAs, AIS Head/Neck \geq 3, Exclude Transfers Out, 2017**

**VTE Prophylaxis Outcomes at 48 Hrs - Heparin, LMWH \leq 48 Hrs
AIS Head/Neck \geq 3, 2018**

Table 23: Pharmacologic VTE Prophylaxis by Cohort

Strategies – changing culture slowly

- TMD/TPM/MCRs at morning signout M-F
- Cases and data to PI meetings
- TMD meeting with neurosurgery
- Surgical administration meeting with neurosurgery
- Meetings with ortho and internal medicine (hip fractures)
- Nursing education